

February 26, 2013

USEPA
Ariel Rios Building
Mail Code 2254A
1200 Pennsylvania Avenue, NW, Washington, DC 20460
Attn: Robert G. Heiss, Director
International Compliance Assurance Division

Dear Sir:

This letter is to provide you with a summary of all hazardous waste shipments exported during January 01, 2012 – December 31, 2012 by this facility, Trutec Industries, 4700 Gateway Blvd., Springfield, OH 45502, EPA ID: OHD 986998474.

Type	Quantity (P)	Date	Destination
F011/F012	42,000	3-22-12	Stablex Canada Inc
F011/F012	29,600	6-7-12	Stablex Canada Inc.
F011/F012	35,800	9-28-12	Stablex Canada Inc.
F011/F012	25,800	12-11-12	Stablex Canada Inc.

Stablex Canada's address is 760 Boul Industriel, Blainville, Canada, J7V 3V4, US EPA NYD980756415. All hazardous wastes shipped were:

RQ Waste Cyanides, Inorganic, Solid, N.O.S. (Potassium), Class 6.1 UN 1588 PG111, F011, F012. D002

Freehold Cartage Inc., USEPA ID NJD054126164 transported all shipments.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Sincerely,


Joseph Gummel
Vice President

received
SDH 3/4/2013

Trutec

TRUTEC INDUSTRIES INCORPORATED

Springfield Heat Treatment Plant
4700 Gateway Blvd.

Route **EPA Mail**

To: International Compliance
Assurance Division

Mailstop ARIEL RIOS NORTH


Department: 2254A

70110110000083028763



70112970000322409382

CERTIFIED MAIL™



7011 2970 0003 2240 9382

USEPA
Ariel Rios Building
Mail Code 2254A
1200 Pennsylvania Ave. NW
Washington, DC 20460
Attn: International Compliance Assurance Div.

20460



\$6.110

US POSTAGE
FIRST-CLASS
06250007184935
45502

BB8339.01



edwards

2022

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT